

DTIC FILE COPY

4

GL-TR-90-0053

Laboratory Particle Velocity Experiments on Rock
From a USSR Underground Nuclear Test Site

AD-A223 108

S. A. Miller
A. L. Florence

SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025

February 1990

Scientific Report No. 1

DTIC
ELECTE
JUN 13 1990
S B D
lp

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

GEOPHYSICS LABORATORY
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANSCOM AIR FORCE BASE, MASSACHUSETTS 01731-5000


90 06 12 13


SPONSORED BY
Defense Advanced Research Projects Agency
Nuclear Monitoring Research Office
ARPA ORDER NO 5307

MONITORED BY
Geophysics Laboratory
F19628-88-K-0051


The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either expressed or implied, of the Defense Advanced Research Projects Agency or the U.S. Government.

This technical report has been reviewed and is approved for publication.


JAMES F. LEWKOWICZ
Contract Manager
Solid Earth Geophysics Branch
Earth Sciences Division


JAMES F. LEWKOWICZ
Branch Chief
Solid Earth Geophysics Branch
Earth Sciences Division

FOR THE COMMANDER


DONALD H. ECKHARDT, Director
Earth Sciences Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify GL/IMA, Hanscom AFB, MA 01731-5000. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE			Form Approved MAY 1962 EDITION GSA GEN. REG. NO. 27	
1. AUTHORING AGENCY NAME(S) AND ADDRESS(ES)		2. REPORT DATE February 1990	3. REPORT TYPE AND DATES COVERED Scientific Report #1	
4. TITLE AND SUBTITLE Laboratory Particle Velocity Experiments on Rock From a USSR Underground Nuclear Test Site			5. FUNDING NUMBERS PE 62714E PR 8A10 TA DA WU AO	
6. AUTHOR(S) S. A. Miller A. L. Florence			Contract F19628-88-K-0051	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) SRI International 333 Ravenswood Avenue Menlo Park, CA 94025			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) Geophysics Laboratory Hanscom AFB, MA 01731-5000 Contract Manager: James Lewkowicz/LWH			10. SPONSORING MONITORING AGENCY REPORT NUMBER GL-TR-90-0053	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12b. DISTRIBUTION CODE	
<p>13. ABSTRACT (Maximum 200 words) Particle velocity histories were measured in spherical wave experiments performed in Sierra White granite (1) to test a technique for increasing the useful signal duration for experiments in small diameter cores obtained from the joint verification experiment (JVE) site, and (2) to determine the effects of the pore space condition on the wave propagation and attenuation.</p> <p>The technique used to increase the useful signal duration involved inserting a 6-cm diameter core into a borehole drilled in a 16-cm diameter specimen of the same material. The records from experiments with and without the core/borehole interface showed no effect of this interface. This technique can be used on the 6-cm diameter JVE cores.</p> <p>Three experiments were performed to compare different initial pore conditions: (1) dry, (2) saturated with equal overburden and pore pressures, and (3) saturated with 11.7 MPa effective stress. The results showed that any effects of initial pore condition are within experimental scatter. Therefore, an initial effective stress is not needed for future experiments, and they will be performed saturated with equal overburden and pore pressures.</p> <p>These preliminary experiments were performed in preparation for the testing (OVER)</p>				
14. SUBJECT TERMS Particle velocity Sierra White granite Pore fluid Effective stress Wave attenuation			15. NUMBER OF PAGES 52	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT SAR	

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

CONT OF BLOCK 13:


program to be completed in the next year of this contract, during which we will perform experiments on rocks from the JVE site and in samples obtained from a potential analog site in Maine.

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE

PREFACE

This research was conducted under Contract F-19628-88-K-0051. Dr. James Lewkowicz was the technical monitor.

The authors are indebted to the following personnel at SRI International for their contributions to this research: E. M. Oyola for preparing and performing the experiments, M. A. Merritt for electronic instrumentation, and D. E. Hutson for machining the specimens.



Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

CONTENTS

	PREFACE	iii
	LIST OF ILLUSTRATIONS	vi
1	INTRODUCTION	1
2	EXPERIMENTAL SETUP	3
	2.1 Technique Development	3
	2.2 Experiments on the Effects of Pore Fluid	5
3	EXPERIMENTAL RESULTS	7
	3.1 Technique Development for Extending Recording Duration	7
	3.2 Pore Fluid Effects	13

LIST OF ILLUSTRATIONS

Figure		Page
1	Configuration of particle velocity experiments in Sierra White granite to extend useful recording duration of small cores	4
2	Configuration of particle velocity experiments in Sierra White granite	6
3	Radial particle velocity histories at a range of 10-mm in Sierra White granite comparing tests with (Test 550) and without (Test 551) an interface	8
4	Radial particle velocity histories at a range of 15-mm in Sierra White granite comparing tests with (Test 550) and without (Test 551) an interface	9
5	Radial particle velocity histories at a range of 20-mm in Sierra White granite comparing tests with (Test 550) and without (Test 551) an interface	10
6	Radial particle velocity histories at a range of 40-mm in Sierra White granite comparing tests with (Test 550) and without (Test 551) an interface	11
7	Displacement histories in Sierra White granite (Tests 550 and 551)	12
8	Particle velocity histories for three different pore conditions at 10-mm range in Sierra White granite	14
9	Particle velocity histories for three different pore conditions at 15-mm range in Sierra White granite	15
10	Particle velocity histories for three different pore conditions at 20-mm range in Sierra White granite	16
11	Particle velocity histories for three different pore conditions at 25-mm range in Sierra White granite	17
12	Particle velocity histories for three different pore conditions at 30-mm range in Sierra White granite	18
13	Particle velocity histories for three different pore conditions at 40-mm range in Sierra White granite	19
14	Particle velocity histories for three different pore conditions at 50-mm range in Sierra White granite	20

LIST OF ILLUSTRATIONS (Continued)

Figure	Page
15 Particle velocity histories for three different pore conditions at 65-mm range in Sierra White granite	21
16 Attenuation of peak velocity for three experiments in Sierra White granite	22
17 Displacement histories for three different pore conditions at 10-mm range in Sierra White granite	23
18 Displacement histories for three different pore conditions at 15-mm range in Sierra White granite	24
19 Displacement histories for three different pore conditions at 20-mm range in Sierra White granite	25
20 Displacement histories for three different pore conditions at 25-mm range in Sierra White granite	26
21 Displacement histories for three different pore conditions at 30-mm range in Sierra White granite	27
22 Displacement histories for three different pore conditions at 40-mm range in Sierra White granite	28
23 Displacement histories for three different pore conditions at 50-mm range in Sierra White granite	29
24 Displacement histories for three different pore conditions at 65-mm range in Sierra White granite	30
25 Attenuation of peak displacement for three experiments in Sierra White granite	31

SECTION 1

INTRODUCTION

The objective of this research project is to support the DARPA program for calibrating the Soviet nuclear test site by generating spherical waves in granite obtained from a borehole drilled adjacent to the site of the joint verification experiment (JVE). At first, our experimental effort focused on the JVE rock; however, this has been modified to include experiments to determine the effects of pore fluid and nonzero effective stress on attenuation and experiments on a suite of rocks obtained from Maine as a possible analog to the JVE rock. We also performed some experiments in technique development to accommodate the small-diameter (6-cm) JVE cores and to extend the duration of measurements before boundary reflections arrive at the measurement positions.

Specifically, our objectives are (1) to determine the effects of pore fluid and effective stress on velocity and displacement attenuation, (2) to generate radial particle velocity histories at different radii from a spherical explosive source in both the JVE rock and rock specimens from Maine and compare the results, (3) to generate strain histories and strain path data from the spherically divergent dynamic loading condition, and (4) to determine if attenuation in hard (low-porosity) rock is independent of the rock constituents (i.e., compare different types of granite, metamorphosed limestone, etc.).

In this report, we present the results of the technique development effort to extend the useful signal duration and the effects of pore fluid and effective stress on wave propagation. Because of the limited number of Maine and JVE specimens, we used Sierra White granite for the technique development and pore fluid effects experiments.

In Section 2, we present the setup for the experiments; the results are in Section 3. During the next year of this contract, we will complete the experiments listed in the test matrix shown in Table 1.

Table 1. TEST MATRIX FOR JVE/ANALOG ROCK

Rock Type	Load Condition	P _{eff} (psi)	Tests	Objective
Sierra White granite ^a	P _c = 2000 psi P _p = 0	Dry	1	Determine the effect of pore fluid and effective stress on coupling/attenuation of intact hard (low-porosity) rock
	P _c = 2000 psi P _p = 2000 psi	0	1	
	P _c = 2000 psi P _p = 0	2000	1	
JVE	P _c = 2000 psi P _p = 1000-2000 psi	0-1000	2	Measure velocity, displacement, and strain histories/attenuation in JVE rock under divergent loading
Analog (Maine)				
Limestone	P _c = 2000 psi P _p = 1000-2000 psi	0-1000	2	Compare response of three different rock types to determine (1) if coupling and attenuation are comparable to those of JVE rock and the rock is a suitable analog, and (2) if coupling in "hard rock" is independent of rock type
Coarse- grained granite	P _c = 2000 psi P _p = 1000-2000 psi	0-1000	2	
Fine- grained granite	P _c = 2000 psi P _p = 1000-2000 psi	0-1000	2	

^aCompleted.

SECTION 2


EXPERIMENTAL SETUP

2.1 TECHNIQUE DEVELOPMENT

The specimens obtained from the Soviet test site are available in 6- and 10-cm-diameter cores. For the particle velocity (PV) experiments, 10-cm cores would provide signal durations up to approximately 20 μ s before reflections arrived from the specimen boundary, which time is probably suitable for the purposes of the experiment. However, the number of competent 10-cm cores is limited, so 6-cm cores may need to be included in the testing program. For 6-cm cores, the signal duration before the arrival of boundary reflections is insufficient. We therefore developed and tested a technique to extend the useful signal duration by inserting a 6-cm core into a borehole of a larger diameter specimen of similar shock impedance. The objective was to ensure intimate contact between the core and borehole, thereby minimizing (or eliminating) reflections from this interface. We tested interface reflection effects by comparing particle velocity histories in two experiments on dry Sierra White granite; one included a core/borehole interface, and one was performed without an interface.

The experimental configuration is shown in Figure 1. In these experiments, a 3/8-g spherical charge of PETN powder, packed to a density of 1 g/cm³, is detonated at the center of a granite specimen. Concentric copper loops are placed in machined grooves at radii of 1.0, 1.5, 2.0, and 4.0 cm from the center of the charge. Particle velocity is measured by monitoring the induced voltage of the copper loops as they move at the local particle velocity through an externally applied magnetic field. Particle velocity is proportional to the conductor length, the induced voltage, and the magnetic field strength. A hydrostatic overburden pressure of 14 MPa is applied to each specimen.

We prepared the specimens by grinding their faces flat and machining a spherical cavity for the charge and grooves for the particle velocity loops. For the interface effects experiment, the circumference of the 6-cm-diameter core was ground and hand-lapped to produce a close fit into a machined borehole of the surrounding granite. Both the core and borehole were cut at a narrow angle (~1 degree), allowing for intimate contact with a press fit of the core into the borehole.



RA M 6645 1

Figure 1. Configuration of particle velocity experiments in Sierra White granite to extend useful recording duration of small cores.

Test 550 (with interface), Test 551 (without interface).



(a) Side View

(b) Top View

2.2 EXPERIMENTS ON THE EFFECTS OF PORE FLUID

We performed three experiments in Sierra White granite with porosity $<1\%$ to compare the response for different pore conditions: (1) dry, (2) saturated with equal overburden and pore pressures of 11.7 MPa, and (3) saturated with 11.7 MPa initial effective stress. The experimental configuration for the dry and saturated case with zero effective stress is shown in Figure 2. In the experiment with nonzero initial effective stress, the pore pressure was isolated from the overburden pressure by surrounding the saturated specimen with a fine wire mesh that acted as a reservoir for the pore fluid. The sample and mesh were then surrounded by an aluminum sleeve around the circumference and end caps on the top and bottom with feed-throughs for water egress. Finally, this assembly was inserted in a rubber jacket and epoxied to the end caps. In these experiments, a 3/8-g charge of PETN powder was detonated at the center of a 16.5-cm-diameter cylinder of granite prepared for testing as previously described. Particle velocity histories were measured at eight radii from the center of the charge using the technique described in Section 2.1.

The specimens were saturated by (1) applying and maintaining a vacuum for 12-24 hours, (2) immersing the specimen in deionized/degassed water, and (3) applying an overburden pressure to the sample with a flatjack while maintaining a vacuum on the flat base of the cylindrical specimen for another 12-24 hours.



RA-M 6615-1E

Figure 2. Configuration of particle velocity experiments in Sierra White granite to determine effects of pore condition on wave propagation.

SECTION 3

EXPERIMENTAL RESULTS

We uncovered a systematic 22% error in the determination of the magnitude of the magnetic field used in the data reduction procedure for obtaining particle velocity histories. Therefore, the particle velocity and displacement histories in the previously reported data on granite are 22% lower than the actual values. Because the error is constant in all measurements, only the magnitude of the values changes and therefore the overall pulse shape, attenuation rates, and conclusions drawn from the results are not affected. We have corrected the error and applied the compensating 1.22 scale factor to the pertinent data from past experiments in Sierra White granite.


3.1 TECHNIQUE DEVELOPMENT FOR EXTENDING RECORDING DURATION

Two experiments were performed to determine the effects of a core/borehole interface needed to extend the useful recording duration of small-diameter specimens. One experiment (Test 550) included an interface, and these results are compared with those from an experiment (Test 551) without an interface.

The results from Tests 550 and 551 are shown superimposed for each measurement location in Figures 3 through 6, and the displacements obtained by integration of the velocity records for both experiments are shown in Figure 7. In the particle velocity records, estimated arrival time from the core/borehole interface is indicated by "I" and reflections from the specimen boundary are denoted by "R." The gage records cannot be interpreted after reflections arrive from the specimen boundary. The reflection times for the two tests are different because of a 2-cm difference in specimen diameters.


As seen in Figures 3 through 6, the pulse shape, duration, and particle velocity amplitudes (except for the peak) are highly reproducible between the two experiments. In particular, we observed no effect of interface reflections in the experimental records because each feature seen in the specimen with an interface is reproduced in the specimen without an interface. The difference in peak particle velocity amplitude has little effect on the displacements as seen in Figure 7.

The secondary pulse in the particle velocity records at about 7 μ s at the first location is probably the result of cavity reverberations. This pulse is propagated from the source




RA-6645-2A

Figure 3. Radial particle velocity histories at a range of 10-mm in Sierra White granite comparing tests with (Test 550) and without (Test 551) an interface.




RA-6645-3A

Figure 4. Radial particle velocity histories at a range of 15-mm in Sierra White granite comparing tests with (Test 550) and without (Test 551) an interface.



RA-6645-4A

Figure 5. Radial particle velocity histories at a range of 20-mm in Sierra White granite comparing tests with (Test 550) and without (Test 551) an interface.



RA-6645-5A


Figure 6. Radial particle velocity histories at a range of 40-mm in Sierra White granite comparing tests with (Test 550) and without (Test 551) an interface.

region because it arrives at each subsequent gage with reduced velocity at a later time. We believe the cause of the cavity reverberation is an initial cavity radius about 1 mm larger than the charge radius. In later experiments, the initial cavity radius was reduced to the charge radius to ensure intimate contact between the source and the medium.

3.2 PORE FLUID EFFECTS


The particle velocity records for the dry (Test 564), saturated with zero effective stress (Test 563), and saturated with 11.7 MPa effective stress (Test 565) experiments on Sierra White granite are shown superimposed at each gage location in Figures 8 through 15. The attenuation of peak particle velocity with scaled range is shown in Figure 16. The particle displacements, obtained by temporal integration of the velocity records, are shown superimposed at each gage location in Figures 17 through 24, and attenuation of peak displacement with range is shown in Figure 25. Unfortunately, we did not recover data from gages PV7 and in Test 563 because of a malfunction in the recording equipment. The peak velocity at the 3-cm and 4-cm locations in Test 565 also was not obtained because the oscilloscope used to record the data did not operate properly. Therefore, these data are not included in the velocity attenuation plots, but because they have little effect on the displacements, they are included in the displacement attenuation plots. Cavity diameters were measured at about 1.3 cm.

The data from these experiments on low-porosity (<1%) Sierra White granite indicate that the effects of the pore space condition are negligible and cannot easily be resolved within the scatter of the experimental data. Therefore, the experiments on the JVE and analog rocks will be saturated with zero effective stress, which allows more experiments to be performed because of the less complicated sample preparation scheme.




RA-6645-8

Figure 8. Particle velocity histories for three different pore conditions at 10-mm range in Sierra White granite.




RA-6645-9

Figure 9. Particle velocity histories for three different pore conditions at 15-mm range in Sierra White granite.




RA-6645-10

Figure 10. Particle velocity histories for three different pore conditions at 20-mm range in Sierra White granite.




RA-6645-11

Figure 11. Particle velocity histories for three different pore conditions at 25-mm range in Sierra White granite.




RA-6645-12

Figure 12. Particle velocity histories for three different pore conditions at 30-mm range in Sierra White granite.




RA-6645-13

Figure 13. Particle velocity histories for three different pore conditions at 40-mm range in Sierra White granite.




RA-6645-14

Figure 14. Particle velocity histories for three different pore conditions at 50-mm range in Sierra White granite.




RA-6645-15

Figure 15. Particle velocity histories for three different pore conditions at 65-mm range in Sierra White granite.




RA-6645-16A

Figure 16. Attenuation of peak velocity for three different core conditions in Sierra White granite.




RA-6645-17

Figure 17. Displacement histories for three different pore conditions at 10-mm range in Sierra White granite.




RA-6645-18

Figure 18. Displacement histories for three different pore conditions at 15-mm range in Sierra White granite.




RA-6645-19

Figure 19. Displacement histories for three different pore conditions at 20-mm range in Sierra White granite.




RA-6645-20

Figure 20. Displacement histories for three different pore conditions at 25-mm range in Sierra White granite.




RA-6645-21

Figure 21. Displacement histories for three different pore conditions at 30-mm range in Sierra White granite.




RA-6645-22

Figure 22. Displacement histories for three different pore conditions at 40-mm range in Sierra White granite.




RA-6645-23

Figure 23. Displacement histories for three different pore conditions at 50-mm range in Sierra White granite.



RA-6645-24

Figure 24. Displacement histories for three different pore conditions at 65-mm range in Sierra White granite.



RA 6645-25A

Figure 25. Attenuation of peak displacement for three different core conditions in Sierra White granite.

Prof. Thomas Ahrens
Seismological Lab, 252-21
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Charles B. Archambeau
CIRES
University of Colorado
Boulder, CO 80309

Prof. Muawia Barazangi
Institute for the Study of the Continent
Cornell University
Ithaca, NY 14853

Dr. Douglas R. Eamgardt
ENSCO, Inc
5400 Port Royal Road
Springfield, VA 22151-2388

Prof. Jonathan Berger
IGPP, A-025
Scripps Institution of Oceanography
University of California, San Diego
La Jolla, CA 92093

Dr. Lawrence J. Burdick
Woodward-Clyde Consultants
566 El Dorado Street
Pasadena, CA 91109-3245

Dr. Karl Coyner
New England Research, Inc.
76 Olcott Drive
White River Junction, VT 05001

Prof. Vernon F. Cormier
Department of Geology & Geophysics
U-45, Room 207
The University of Connecticut
Storrs, CT 06268

Professor Anton W. Dainty
Earth Resources Laboratory
Massachusetts Institute of Technology
42 Carleton Street
Cambridge, MA 02142

Prof. Steven Day
Department of Geological Sciences
San Diego State University
San Diego, CA 92182

Dr. Zoltan A. Der
ENSCO, Inc.
5400 Port Royal Road
Springfield, VA 22151-2388

Prof. John Ferguson
Center for Lithospheric Studies
The University of Texas at Dallas
P.O. Box 830688
Richardson, TX 75083-0688

Prof. Stanley Flatte
Applied Sciences Building
University of California
Santa Cruz, CA 95064

Dr. Alexander Florence
SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025-3493

Prof. Henry L. Gray
Vice Provost and Dean
Department of Statistical Sciences
Southern Methodist University
Dallas, TX 75275

Dr. Indra Gupta
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. David G. Harkrider
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Donald V. Helmberger
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Eugene Herrin
Institute for the Study of Earth and Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Robert B. Herrmann
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Prof. Bryan Isacks
Cornell University
Department of Geological Sciences
SNEE Hall
Ithaca, NY 14850

Dr. Rong-Song Jih
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. Lane R. Johnson
Seismographic Station
University of California
Berkeley, CA 94720

Prof. Alan Kafka
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Dr. Richard LaCoss
MIT-Lincoln Laboratory
M-200B
P. O. Box 73
Lexington, MA 02173-0073 (3 copies)

Prof Fred K. Lamb
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. Charles A. Langston
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Prof. Thorne Lay
Institute of Tectonics
Earth Science Board
University of California, Santa Cruz
Santa Cruz, CA 95064

Prof. Arthur Lerner-Lam
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Christopher Lynnes
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. Peter Malin
University of California at Santa Barbara
Institute for Crustal Studies
Santa Barbara, CA 93106

Dr. Randolph Martin, III
New England Research, Inc.
76 Olcott Drive
White River Junction, VT 05001

Dr. Gary McCartor
Mission Research Corporation
735 State Street
P.O. Drawer 719
Santa Barbara, CA 93102 (2 copies)

Prof. Thomas V. McEvilly
Seismographic Station
University of California
Berkeley, CA 94720

Dr. Keith L. McLaughlin
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. William Menke
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Stephen Miller
SRI International
333 Ravenswood Avenue
Box AF 116
Menlo Park, CA 94025-3493

Prof. Bernard Minster
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Brian J. Mitchell
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Mr. Jack Murphy
S-CUBED, A Division of Maxwell Laboratory
11800 Sunrise Valley Drive
Suite 1212
Reston, VA 22091 (2 copies)

Dr. Bao Nguyen
GL/LWH
Hanscom AFB, MA 01731-5000

Prof. John A. Orcutt
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Keith Priestley
University of Cambridge
Bullard Labs, Dept. of Earth Sciences
Madingley Rise, Madingley Rd.
Cambridge CB3 0EZ, ENGLAND

Prof. Paul G. Richards
L-210
Lawrence Livermore National Laboratory
Livermore, CA 94550

Dr. Wilmer Rivers
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. Charles G. Sammis
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Christopher H. Scholz
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Prof. David G. Simpson
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Jeffrey Stevens
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. Brian Stump
Institute for the Study of Earth & Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Jeremiah Sullivan
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. Clifford Thurber
University of Wisconsin-Madison
Department of Geology & Geophysics
1215 West Dayton Street
Madison, WI 53706

Prof. M. Nafi Toksoz
Earth Resources Lab
Massachusetts Institute of Technology
42 Carleton Street
Cambridge, MA 02142

Prof. John E. Vidale
University of California at Santa Cruz
Seismological Laboratory
Santa Cruz, CA 95064

Prof. Terry C. Wallace
Department of Geosciences
Building #77
University of Arizona
Tucson, AZ 85721

Dr. Raymond Willeman
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Lorraine Wolf
GL/LWH
Hanscom AFB, MA 01731-5000

Prof. Francis T. Wu
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

Dr. Monem Abdel-Gawad
Rockwell International Science Center
1049 Camino Dos Rios
Thousand Oaks, CA 91360

Prof. Keiiti Aki
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Shelton S. Alexander
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Dr. Kenneth Anderson
BBNSTC
Mail Stop 14/1B
Cambridge, MA 02238

Dr. Ralph Archuleta
Department of Geological Sciences
University of California at Santa Barbara
Santa Barbara, CA 93102

Dr. Thomas C. Bache, Jr.
Science Applications Int'l Corp.
10210 Campus Point Drive
San Diego, CA 92121 (2 copies)

J. Barker
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

Dr. T.J. Bennett
S-CUBED
A Division of Maxwell Laboratory
11800 Sunrise Valley Drive, Suite 1212
Reston, VA 22091

Mr. William J. Best
907 Westwood Drive
Vienna, VA 22180

Dr. N. Biswas
Geophysical Institute
University of Alaska
Fairbanks, AK 99701

Dr. G.A. Bollinger
Department of Geological Sciences
Virginia Polytechnical Institute
21044 Derring Hall
Blacksburg, VA 24061

Dr. Stephen Bratt
Science Applications Int'l Corp.
10210 Campus Point Drive
San Diego, CA 92121

Michael Browne
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Mr. Roy Burger
1221 Serry Road
Schenectady, NY 12309

Dr. Robert Burrige
Schlumberger-Doll Research Center
Old Quarry Road
Ridgefield, CT 06877

Dr. Jerry Carter
Rondout Associates
P.O. Box 224
Stone Ridge, NY 12484

Dr. W. Winston Chan
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314-1581

Dr. Theodore Cherry
Science Horizons, Inc.
710 Encinitas Blvd., Suite 200
Encinitas, CA 92024 (2 copies)

Prof. Jon F. Claerbout
Department of Geophysics
Stanford University
Stanford, CA 94305

Prof. Robert W. Clayton
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. F. A. Dahlen
Geological and Geophysical Sciences
Princeton University
Princeton, NJ 08544-0636

Prof. Adam Dziewonski
Hoffman Laboratory
Harvard University
20 Oxford St
Cambridge, MA 02138

Prof. John Ebel
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Eric Fielding
SNEE Hall
INSTOC
Cornell University
Ithaca, NY 14853

Prof. Donald Forsyth
Department of Geological Sciences
Brown University
Providence, RI 02912

Dr. Cliff Frolich
Institute of Geophysics
8701 North Mopac
Austin, TX 78759

Prof. Art Frankel
Mail Stop 922
Geological Survey
790 National Center
Reston, VA 22092

Dr. Anthony Gangi
Texas A&M University
Department of Geophysics
College Station, TX 77843

Dr. Freeman Gilbert
Inst. of Geophysics & Planetary Physics
University of California, San Diego
P.O. Box 109
La Jolla, CA 92037

Mr. Edward Giller
Pacific Sierra Research Corp.
1401 Wilson Boulevard
Arlington, VA 22209

Dr. Jeffrey W. Given
Sierra Geophysics
11255 Kirkland Way
Kirkland, WA 98033

Prof. Stephen Grand
University of Texas at Austin
Department of Geological Sciences
Austin, TX 78713-7909

Prof. Roy Greenfield
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Dan N. Hagedorn
Battelle
Pacific Northwest Laboratories
Battelle Boulevard
Richland, WA 99352

Kevin Hutchenson
Department of Earth Sciences
St. Louis University
3507 Laclede
St. Louis, MO 63103

Prof. Thomas H. Jordan
Department of Earth, Atmospheric
and Planetary Sciences
Massachusetts Institute of Technology
Cambridge, MA 02139

Robert C. Kemerait
ENSCO, Inc.
445 Pineda Court
Melbourne, FL 32940

William Kikendall
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Prof. Leon Knopoff
University of California
Institute of Geophysics & Planetary Physics
Los Angeles, CA 90024

Prof. L. Timothy Long
School of Geophysical Sciences
Georgia Institute of Technology
Atlanta, GA 30332

Prof. Art McGarr
Mail Stop 977
Geological Survey
345 Middlefield Rd.
Menlo Park, CA 94025

Dr. George Mellman
Sierra Geophysics
11255 Kirkland Way
Kirkland, WA 98033

Prof. John Nabelek
College of Oceanography
Oregon State University
Corvallis, OR 97331

Prof. Geza Nagy
University of California, San Diego
Department of Ames, M.S. B-010
La Jolla, CA 92093

Prof. Amos Nur
Department of Geophysics
Stanford University
Stanford, CA 94305

Prof. Jack Oliver
Department of Geology
Cornell University
Ithaca, NY 14850

Prof. Robert Phinney
Geological & Geophysical Sciences
Princeton University
Princeton, NJ 08544-0636

Dr. Paul Pomeroy
Rondout Associates
P.O. Box 224
Stone Ridge, NY 12484

Dr. Jay Pulli
RADIX System, Inc.
2 Taft Court, Suite 203
Rockville, MD 20850

Dr. Norton Rimer
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. Larry J. Ruff
Department of Geological Sciences
1006 C.C. Little Building
University of Michigan
Ann Arbor, MI 48109-1063

Dr. Richard Sailor
TASC Inc.
55 Walkers Brook Drive
Reading, MA 01867

Thomas J. Sereno, Jr.
Science Application Int'l Corp.
10210 Campus Point Drive
San Diego, CA 92121

John Sherwin
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Prof. Robert Smith
Department of Geophysics
University of Utah
1400 East 2nd South
Salt Lake City, UT 84112

Prof. S. W. Smith
Geophysics Program
University of Washington
Seattle, WA 98195

Dr. Stewart Smith
IRIS Inc.
1616 North Fort Myer Drive
Suite 1440
Arlington, VA 22209

Dr. George Sutton
Rondout Associates
P.O. Box 224
Stone Ridge, NY 12484

Prof. L. Sykes
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Prof. Pradeep Talwani
Department of Geological Sciences
University of South Carolina
Columbia, SC 29208

Prof. Ta-liang Teng
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Dr. R.B. Tittmann
Rockwell International Science Center
1049 Camino Dos Rios
P.O. Box 1085
Thousand Oaks, CA 91360

Dr. Gregory van der Vink
IRIS, Inc.
1616 North Fort Myer Drive
Suite 1440
Arlington, VA 22209

Professor Daniel Walker
University of Hawaii
Institute of Geophysics
Honolulu, HI 96822

William R. Walter
Seismological Laboratory
University of Nevada
Reno, NV 89557

Dr. Gregory Wojcik
Weidlinger Associates
4410 El Camino Real
Suite 110
Los Altos, CA 94022

Prof. John H. Woodhouse
Hoffman Laboratory
Harvard University
20 Oxford St.
Cambridge, MA 02138

Dr. Gregory B. Young
ENSCO, Inc.
5400 Port Royal Road
Springfield, VA 22151-2388

GOVERNMENT

Dr. Ralph Alewine III
DARPA/NMRO
1400 Wilson Boulevard
Arlington, VA 22209-2308

Mr. James C. Battis
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Robert Blandford
DARPA/NMRO
1400 Wilson Boulevard
Arlington, VA 22209-2308

Eric Chael
Division 9241
Sandia Laboratory
Albuquerque, NM 87185

Dr. John J. Cipar
GL/LWH
Hanscom AFB, MA 01731-5000

Mr. Jeff Duncan
Office of Congressman Markey
2133 Rayburn House Bldg.
Washington, DC 20515

Dr. Jack Evernden
USGS - Earthquake Studies
345 Middlefield Road
Menlo Park, CA 94025

Art Frankel
USGS
922 National Center
Reston, VA 22092

Dr. T. Hanks
USGS
Nat'l Earthquake Research Center
345 Middlefield Road
Menlo Park, CA 94025

Dr. James Hannon
Lawrence Livermore Nat'l Laboratory
P.O. Box 808
Livermore, CA 94550

Paul Johnson
ESS-4, Mail Stop J979
Los Alamos National Laboratory
Los Alamos, NM 87545

Janet Johnston
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Katharine Kadinsky-Cade
GL/LWH
Hanscom AFB, MA 01731-5000

Ms. Ann Kerr
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Dr. Max Koontz
US Dept of Energy/DP 5
Forrestal Building
1000 Independence Avenue
Washington, DC 20585

Dr. W.H.K. Lee
Office of Earthquakes, Volcanoes,
& Engineering
345 Middlefield Road
Menlo Park, CA 94025

Dr. William Leith
U.S. Geological Survey
Mail Stop 928
Reston, VA 22092

Dr. Richard Lewis
Director, Earthquake Engineering & Geophysics
U.S. Army Corps of Engineers
Box 631
Vicksburg, MS 39180

James F. Lewkowicz
GL/LWH
Hanscom AFB, MA 01731-5000

Mr. Alfred Lieberman
ACDA/VI-OA'State Department Bldg
Room 5726
320 - 21st Street, NW
Washington, DC 20451

Stephen Mangino
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Frank F. Pilotte
HQ AFTAC/TT
Patrick AFB, FL 32925-6001

Dr. Robert Masse
Box 25046, Mail Stop 967
Denver Federal Center
Denver, CO 80225

Katie Poley
CIA-OSWR/NED
Washington, DC 20505

Art McGarr
U.S. Geological Survey, MS-977
345 Middlefield Road
Menlo Park, CA 94025

Mr. Jack Rachlin
U.S. Geological Survey
Geology, Rm 3 C136
Mail Stop 928 National Center
Reston, VA 22092

Richard Morrow
ACDA/VI, Room 5741
320 21st Street N.W
Washington, DC 20451

Dr. Robert Reinke
WL/NTESG
Kirtland AFB, NM 87117-6008

Dr. Keith K. Nakanishi
Lawrence Livermore National Laboratory
P.O. Box 808, L-205
Livermore, CA 94550

Dr. Byron Ristvet
HQ DNA, Nevada Operations Office
Attn: NVCG
P.O. Box 98539
Las Vegas, NV 89193

Dr. Carl Newton
Los Alamos National Laboratory
P.O. Box 1663
Mail Stop C335, Group ESS-3
Los Alamos, NM 87545

Dr. George Rothe
HQ AFTAC/TGR
Patrick AFB, FL 32925-6001

Dr. Kenneth H. Olsen
Los Alamos Scientific Laboratory
P.O. Box 1663
Mail Stop C335, Group ESS-3
Los Alamos, NM 87545

Dr. Alan S. Ryall, Jr.
DARPA/NMRO
1400 Wilson Boulevard
Arlington, VA 22209-2308

Howard J. Patton
Lawrence Livermore National Laboratory
P.O. Box 808, L-205
Livermore, CA 94550

Dr. Michael Shore
Defense Nuclear Agency/SPSS
6801 Telegraph Road
Alexandria, VA 22310

Mr. Chris Paine
Office of Senator Kennedy
SR 315
United States Senate
Washington, DC 20510

Donald L. Springer
Lawrence Livermore National Laboratory
P.O. Box 808, L-205
Livermore, CA 94550

Colonel Jerry J. Perrizo
AFOSR/NP, Building 410
Bolling AFB
Washington, DC 20332-6448

Mr. Charles L. Taylor
GL/LWG
Hanscom AFB, MA 01731-5000

Dr. Thomas Weaver
Los Alamos National Laboratory
P.O. Box 1663, Mail Stop C335
Los Alamos, NM 87545

DARPA/PM
1400 Wilson Boulevard
Arlington, VA 22209

J.J. Zucca
Lawrence Livermore National Laboratory
Box 808
Livermore, CA 94550

Defense Technical Information Center
Cameron Station
Alexandria, VA 22314 (5 copies)

GL/SULL
Research Library
Hanscom AFB, MA 01731-5000 (2 copies)

Defense Intelligence Agency
Directorate for Scientific &
Technical Intelligence
Washington, DC 20301

Secretary of the Air Force
(SAFRD)

AFTAC/CA
(STINFO)
Patrick AFB, FL 32925-6001

Washington, DC 20330

Office of the Secretary Defense
DDR & E
Washington, DC 20330

TACTEC
Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201 (Final Report Only)

HQ DNA
Attn: Technical Library
Washington, DC 20305

DARPA/RMO/RETRIEVAL
1400 Wilson Boulevard
Arlington, VA 22209

DARPA/RMO/Security Office
1400 Wilson Boulevard
Arlington, VA 22209

Geophysics Laboratory
Attn: XO
Hanscom AFB, MA 01731-5000

Geophysics Laboratory
Attn: LW
Hanscom AFB, MA 01731-5000

CONTRACTORS (Foreign)

Dr. Ramon Cabre, S.J.
Observatorio San Calixto
Casilla 5939
La Paz, Bolivia

Prof. Hans-Peter Harjes
Institute for Geophysik
Ruhr University/Bochum
P.O. Box 102148
4630 Bochum 1, FRG

Prof. Eystein Husebye
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Prof. Brian L.N. Kennett
Research School of Earth Sciences
Institute of Advanced Studies
G.P.O. Box 4
Canberra 2601, AUSTRALIA

Dr. Bernard Massinon
Societe Radiomana
27 rue Claude Bernard
75005 Paris, FRANCE (2 Copies)

Dr. Pierre Mecheler
Societe Radiomana
27 rue Claude Bernard
75005 Paris, FRANCE

Dr. Svein Mykkeltveit
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

FOREIGN (Others)

Dr. Peter Basham
Earth Physics Branch
Geological Survey of Canada
1 Observatory Crescent
Ottawa, Ontario, CANADA K1A 0Y3

Dr. Eduard Berg
Institute of Geophysics
University of Hawaii
Honolulu, HI 96822

Dr. Michel Bouchon
I.R.I.G.M.-B.P. 68
38402 St. Martin D'Heres
Cedex, FRANCE

Dr. Hilmar Bungum
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Michel Campillo
Observatoire de Grenoble
I.R.I.G.M.-B.P. 53
38041 Grenoble, FRANCE

Dr. Kin Yip Chun
Geophysics Division
Physics Department
University of Toronto
Ontario, CANADA M5S 1A7

Dr. Alan Douglas
Ministry of Defense
Blacknest, Brimpton
Reading RG7-4RS, UNITED KINGDOM

Dr. Roger Hansen
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Manfred Henger
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-3000 Hanover 51, FRG

Ms. Eva Johannisson
Senior Research Officer
National Defense Research Inst.
P.O. Box 27322
S-102 54 Stockholm, SWEDEN

Dr. Fekadu Kebede
Seismological Section
Box 12019
S-750 Uppsala, SWEDEN

Dr. Tormod Kvaerna
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Peter Marshal
Procurement Executive
Ministry of Defense
Blacknest, Brimpton
Reading FG7-4RS, UNITED KINGDOM

Prof. Ari Ben-Menahem
Department of Applied Mathematics
Weizman Institute of Science
Rehovot, ISRAEL 951729

Dr. Robert North
Geophysics Division
Geological Survey of Canada
1 Observatory Crescent
Ottawa, Ontario, CANADA K1A 0Y3

Dr. Frode Ringdal
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Jorg Schlittenhardt
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-3000 Hannover 51, FEDERAL REPUBLIC OF
GERMANY